



Calculation Policy 2023-4

At St Johns, calculation procedures are taught according to this document so they can be seamlessly built upon year after year, as the child moves through school.

The policy has been taken and adapted to suit from White Rose Maths. We have found their calculation policy to be the one which works for the needs of our children and suits the way in which we teach Maths. The use of concrete resources and visuals underpin this calculation policy, which is what you would see in a St John's Maths lesson.

The policy goes through:

Addition

Subtraction

Multiplication

Division

Each operation is broken down into skills for the year group and shows recommended models and visuals to support the teaching of the corresponding concepts alongside.


Addition


Skill: Add 1-digit numbers within 10	Year: 1
	<p>When adding numbers to 10, children can explore both aggregation and augmentation.</p> <p>The part-whole model, discrete and continuous bar model, number shapes and ten frame support aggregation.</p> <p>The combination bar model, ten frame, bead string and number track all support augmentation.</p>

Skill: Add 1 and 2-digit numbers to 20	Year: 1/2
<div data-bbox="218 1265 395 1460"> </div> <div data-bbox="432 1301 633 1406"> </div> <div data-bbox="727 1279 869 1505"> </div> <div data-bbox="904 1265 1083 1608"> </div> <div data-bbox="574 1550 786 1624"> <div>8 + 7 = 15</div> </div> <div data-bbox="231 1617 679 1767"> </div> <div data-bbox="561 1653 1094 1691"> </div> <div data-bbox="657 1780 952 1892"> </div> <div data-bbox="987 1818 1094 1908"> <div>8 + 7 = 15</div> <div>2 5</div> </div>	<p>When adding one-digit numbers that cross 10, it is important to highlight the importance of ten ones equalling one ten.</p> <p>Different manipulatives can be used to represent this exchange. Use concrete resources alongside number lines to support children in understanding how to partition their jumps.</p>


Skill: Add three 1-digit numbers


Year: 2






$7 + 6 + 3 = 16$



$7 + 6 + 3 = 16$





When adding three 1-digit numbers, children should be encouraged to look for number bonds to 10 or doubles to add the numbers more efficiently.


This supports children in their understanding of commutativity.


Manipulatives that highlight number bonds to 10 are effective when adding three 1-digit numbers.

Skill: Add 1-digit and 2-digit numbers to 100


Year: 2/3







$38 + 5 = 43$



1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

When adding single digits to a two-digit number, children should be encouraged to count on from the larger number.

They should also apply their knowledge of number bonds to add more efficiently e.g. $8 + 5 = 13$ so $38 + 5 = 43$.

Hundred squares and straws can support children to find the number bond to 10.

Skill: Add two 2-digit numbers to 100	Year: 2/3												
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> </div> <div style="display: flex; justify-content: center; align-items: center; margin: 10px 0;"> <div style="border: 1px solid black; padding: 5px; margin: 0 10px;"> $38 + 23 = 61$ </div> </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"> </td> <td style="padding: 5px;"> </td> </tr> <tr> <td style="padding: 5px;"> </td> <td style="padding: 5px;"> </td> </tr> </tbody> </table> </div> <div style="width: 30%; text-align: center;"> $\begin{array}{r} 38 \\ + 23 \\ \hline 61 \\ 1 \end{array}$ </div> <div style="width: 30%;"> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">●●●</td> <td style="padding: 5px;">●●●●●</td> </tr> <tr> <td style="padding: 5px;">●●●</td> <td style="padding: 5px;">●●●</td> </tr> </tbody> </table> </div> </div>	Tens	Ones					Tens	Ones	●●●	●●●●●	●●●	●●●	<p>At this stage, encourage children to use the formal column method when calculating alongside straws, base 10 or place value counters. As numbers become larger, straws become less efficient.</p> <p>Children can also use a blank number line to count on to find the total. Encourage them to jump to multiples of 10 to become more efficient.</p>
Tens	Ones												
Tens	Ones												
●●●	●●●●●												
●●●	●●●												

Skill: Add numbers with up to 3 digits	Year: 3																		
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> </div> <div style="display: flex; justify-content: center; align-items: center; margin: 10px 0;"> <div style="border: 1px solid black; padding: 5px; margin: 0 10px;"> $265 + 164 = 429$ </div> </div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Hundreds</th> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">■■■</td> <td style="padding: 5px;"> </td> <td style="padding: 5px;"> </td> </tr> <tr> <td style="padding: 5px;">■</td> <td style="padding: 5px;"> </td> <td style="padding: 5px;"> </td> </tr> </tbody> </table> </div> <div style="width: 30%; text-align: center;"> $\begin{array}{r} 265 \\ + 164 \\ \hline 429 \\ 1 \end{array}$ </div> <div style="width: 30%;"> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Hundreds</th> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">●●●</td> <td style="padding: 5px;">●●●●●</td> <td style="padding: 5px;">●●●●</td> </tr> <tr> <td style="padding: 5px;">●</td> <td style="padding: 5px;">●●●●●</td> <td style="padding: 5px;">●●●●</td> </tr> </tbody> </table> </div> </div>	Hundreds	Tens	Ones	■■■			■			Hundreds	Tens	Ones	●●●	●●●●●	●●●●	●	●●●●●	●●●●	<p>Base 10 and place value counters are the most effective manipulatives when adding numbers with up to 3 digits.</p> <p>Ensure children write out their calculation alongside any concrete resources so they can see the links to the written column method.</p> <p>Plain counters on a place value grid can also be used to support learning.</p>
Hundreds	Tens	Ones																	
■■■																			
■																			
Hundreds	Tens	Ones																	
●●●	●●●●●	●●●●																	
●	●●●●●	●●●●																	

Skill: Add numbers with up to 4 digits	Year: 4
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> </div> <div style="text-align: center; margin-top: 10px;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> $1,378 + 2,148 = 3,526$ </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> </div>	<p>Base 10 and place value counters are the most effective manipulatives when adding numbers with up to 4 digits.</p> <p>Ensure children write out their calculation alongside any concrete resources so they can see the links to the written column method.</p> <p>Plain counters on a place value grid can also be used to support learning.</p>

Skill: Add numbers with more than 4 digits	Year: 5/6
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> </div> <div style="text-align: center; margin-top: 10px;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> $104,328 + 61,731 = 166,059$ </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> </div> </div>	<p>Place value counters or plain counters on a place value grid are the most effective concrete resources when adding numbers with more than 4 digits.</p> <p>At this stage, children should be encouraged to work in the abstract, using the column method to add larger numbers efficiently.</p>

Skill: Add with up to 3 decimal places	Year: 5
<div data-bbox="236 510 529 761"> </div> <div data-bbox="564 510 865 792"> </div> <div data-bbox="932 555 1069 757"> $\begin{array}{r} 3.65 \\ + 2.41 \\ \hline 6.06 \\ 1 \end{array}$ </div> <div data-bbox="475 801 879 875"> $3.65 + 2.41 = 6.06$ </div> <div data-bbox="272 909 678 1137"> </div> <div data-bbox="754 909 1031 1137"> </div>	<p>Place value counters and plain counters on a place value grid are the most effective manipulatives when adding decimals with 1, 2 and then 3 decimal places.</p> <p>Ensure children have experience of adding decimals with a variety of decimal places. This includes putting this into context when adding money and other measures.</p>

Subtraction

Skill: Subtract 1-digit numbers within 10

Year: 1

$$7 - 3 = 4$$

Part-whole models, bar models, ten frames and number shapes support partitioning.

Ten frames, number tracks, single bar models and bead strings support reduction.

Cubes and bar models with two bars can support finding the difference.

Skill: Subtract 1 and 2-digit numbers to 20




Year: 1/2


The figure illustrates the subtraction $14 - 6 = 8$ using various mathematical tools:

- Number Bond:** A circle containing 14 is connected to a circle containing 6 and an empty circle.
- Base Ten Blocks:** A ten rod and four one units are shown. A ten rod is also shown with six units crossed out (three rods with two units each).
- Number Line:** A number line from 0 to 20. A blue arrow starts at 14 and jumps back to 8, with the number 8 circled.
- Ten Frame:** A ten frame with 14 red dots. Six dots are crossed out, leaving eight dots.
- Number Line:** A number line from 0 to 20. A blue arrow starts at 14 and jumps back to 8, with the number 8 circled.

When subtracting one-digit numbers that cross 10, it is important to highlight the importance of ten ones equalling one ten.


Children should be encouraged to find the number bond to 10 when partitioning the subtracted number. Ten frames, number shapes and number lines are particularly useful for this.

Skill: Subtract 1 and 2-digit numbers to 100	Year: 2														
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>65</p> <table border="1" style="margin: 0 auto; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 30px; text-align: center; vertical-align: middle;">?</td> <td style="width: 50px; height: 30px; text-align: center; vertical-align: middle;">28</td> </tr> </table> </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <div style="text-align: center; margin: 10px 0;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> $65 - 28 = 37$ </div> </div> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <table border="1" style="border-collapse: collapse;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> </tbody> </table> </div> <div style="text-align: center;"> $\begin{array}{r} 65 \\ - 28 \\ \hline 37 \end{array}$ </div> <div style="text-align: center;"> <table border="1" style="border-collapse: collapse;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> </tbody> </table> </div> </div>	?	28	Tens	Ones					Tens	Ones					<p>At this stage, encourage children to use the formal column method when calculating alongside straws, base 10 or place value counters. As numbers become larger, straws become less efficient.</p> <p>Children can also use a blank number line to count on to find the difference. Encourage them to jump to multiples of 10 to become more efficient.</p>
?	28														
Tens	Ones														
Tens	Ones														

Skill: Subtract numbers with up to 3 digits	Year: 3																						
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  </div> <div style="text-align: center;"> <p>435</p> <table border="1" style="margin: 0 auto; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 30px; text-align: center; vertical-align: middle;">273</td> <td style="width: 50px; height: 30px; text-align: center; vertical-align: middle;">?</td> </tr> </table> </div> <div style="text-align: center;"> <table border="1" style="margin: 0 auto; border-collapse: collapse;"> <tr> <td style="width: 100px; height: 30px; text-align: center; vertical-align: middle;">435</td> </tr> <tr> <td style="width: 100px; height: 30px; text-align: center; vertical-align: middle;">273</td> </tr> </table> <p style="margin-top: 5px;">← ?</p> </div> </div> <div style="text-align: center; margin: 10px 0;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> $435 - 273 = 262$ </div> </div> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <table border="1" style="border-collapse: collapse;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Hundreds</th> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> </tbody> </table> </div> <div style="text-align: center;"> $\begin{array}{r} 435 \\ - 273 \\ \hline 262 \end{array}$ </div> <div style="text-align: center;"> <table border="1" style="border-collapse: collapse;"> <thead> <tr style="background-color: #f2f2f2;"> <th style="padding: 2px 5px;">Hundreds</th> <th style="padding: 2px 5px;">Tens</th> <th style="padding: 2px 5px;">Ones</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> </tbody> </table> </div> </div>	273	?	435	273	Hundreds	Tens	Ones							Hundreds	Tens	Ones							<p>Base 10 and place value counters are the most effective manipulative when subtracting numbers with up to 3 digits.</p> <p>Ensure children write out their calculation alongside any concrete resources so they can see the links to the written column method.</p> <p>Plain counters on a place value grid can also be used to support learning.</p>
273	?																						
435																							
273																							
Hundreds	Tens	Ones																					
Hundreds	Tens	Ones																					

Skill: Subtract numbers with up to 4 digits	Year: 4																
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> $\begin{array}{r} 4,357 \\ - 2,735 \\ \hline \end{array}$ </div> <div style="text-align: center;"> $\begin{array}{r} 3 1 \\ 4357 \\ - 2735 \\ \hline 1622 \end{array}$ </div> </div> <div style="text-align: center; margin-top: 10px;"> $4,357 - 2,735 = 1,622$ </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <table border="1" style="font-size: 0.8em;"> <tr><th>Thousands</th><th>Hundreds</th><th>Tens</th><th>Ones</th></tr> <tr><td></td><td></td><td></td><td></td></tr> </table> <table border="1" style="font-size: 0.8em;"> <tr><th>Thousands</th><th>Hundreds</th><th>Tens</th><th>Ones</th></tr> <tr><td></td><td></td><td></td><td></td></tr> </table> </div>	Thousands	Hundreds	Tens	Ones					Thousands	Hundreds	Tens	Ones					<p>Base 10 and place value counters are the most effective manipulatives when subtracting numbers with up to 4 digits.</p> <p>Ensure children write out their calculation alongside any concrete resources so they can see the links to the written column method.</p> <p>Plain counters on a place value grid can also be used to support learning.</p>
Thousands	Hundreds	Tens	Ones														
Thousands	Hundreds	Tens	Ones														

Skill: Subtract numbers with more than 4 digits	Year: 5/6																								
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> </div> <div style="text-align: center;"> $\begin{array}{r} 294,382 \\ - 182,501 \\ \hline \end{array}$ </div> </div> <div style="text-align: center; margin-top: 10px;"> $294,382 - 182,501 = 111,881$ </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <table border="1" style="font-size: 0.8em;"> <tr><th>HTh</th><th>TTh</th><th>Th</th><th>H</th><th>T</th><th>O</th></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table> <table border="1" style="font-size: 0.8em;"> <tr><th>HTh</th><th>TTh</th><th>Th</th><th>H</th><th>T</th><th>O</th></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table> </div>	HTh	TTh	Th	H	T	O							HTh	TTh	Th	H	T	O							<p>Place value counters or plain counters on a place value grid are the most effective concrete resource when subtracting numbers with more than 4 digits.</p> <p>At this stage, children should be encouraged to work in the abstract, using column method to subtract larger numbers efficiently.</p>
HTh	TTh	Th	H	T	O																				
HTh	TTh	Th	H	T	O																				

Skill: Subtract with up to 3 decimal places	Year: 5
 <p>The diagram illustrates the subtraction $5.43 - 2.7 = 2.73$ using four different methods:</p> <ul style="list-style-type: none"> Number Line: A number line starting at 0, with points at 2.7 and 5.43. The distance between them is labeled with a question mark. Place Value Grid: A grid with columns for Ones, Tenths, and Hundredths. It shows 5 ones, 4 tenths, and 3 hundredths, with 2 ones and 7 tenths being subtracted. Standard Algorithm: A vertical subtraction showing $5.43 - 2.7 = 2.73$ with borrowing indicated by a 4 and a 1. Place Value Counters: A grid showing 5 ones, 4 tenths, and 3 hundredths, with 2 ones and 7 tenths being subtracted. <p>The final result is $5.43 - 2.7 = 2.73$.</p>	<p>Place value counters and plain counters on a place value grid are the most effective manipulative when subtracting decimals with 1, 2 and then 3 decimal places.</p> <p>Ensure children have experience of subtracting decimals with a variety of decimal places. This includes putting this into context when subtracting money and other measures.</p>

Multiplication








Our calculation policy for multiplication starts with a breakdown of times tables; what should be taught when and what that teaching should look like.

During the Summer Term, the children in Year 4 sit the Multiplication Tables Check in line with the Government's assessment framework.

Times tables continue to be recalled and tested throughout Years 5 and 6.


Skill	Year	Representations and models	
Recall and use multiplication and division facts for the 2-times table	2	Bar model Number shapes Counters Money	Ten frames Bead strings Number lines Everyday objects
Recall and use multiplication and division facts for the 5-times table	2	Bar model Number shapes Counters Money	Ten frames Bead strings Number lines Everyday objects
Recall and use multiplication and division facts for the 10-times table	2	Hundred square Number shapes Counters Money	Ten frames Bead strings Number lines Base 10
Recall and use multiplication and division facts for the 3-times table	3	Hundred square Number shapes Counters	Bead strings Number lines Everyday objects
Recall and use multiplication and division facts for the 4-times table	3	Hundred square Number shapes Counters	Bead strings Number lines Everyday objects
Recall and use multiplication and division facts for the 8-times table	3	Hundred square Number shapes	Bead strings Number tracks Everyday objects
Recall and use multiplication and division facts for the 6-times table	4	Hundred square Number shapes	Bead strings Number tracks Everyday objects

Recall and use multiplication and division facts for the 7-times table	4	Hundred square Number shapes	Bead strings Number lines
Recall and use multiplication and division facts for the 9-times table	4	Hundred square Number shapes	Bead strings Number lines
Recall and use multiplication and division facts for the 11-times table	4	Hundred square Base 10	Place value counters Number lines
Recall and use multiplication and division facts for the 12-times table	4	Hundred square Base 10	Place value counters Number lines

Skill: Solve 1-step problems using multiplication	Year: 1/2
    <p>One bag holds 5 apples. How many apples do 4 bags hold?</p>    $5 + 5 + 5 + 5 = 20$ $4 \times 5 = 20$ $5 \times 4 = 20$	<p>Children represent multiplication as repeated addition in many different ways.</p> <p>In Year 1, children use concrete and pictorial representations to solve problems. They are not expected to record multiplication formally.</p> <p>In Year 2, children are introduced to the multiplication symbol.</p>

Skill: Multiply 2-digit numbers by 1-digit numbers


Year: 3/4



	H	T	O	
		3	4	
x			5	
		2	0	(5 x 4)
+	1	5	0	(5 x 30)
	1	7	0	

$$34 \times 5 = 170$$

	H	T	O
		3	4
x			5
	1	7	0
	1	2	




Teachers may decide to first look at the expanded column method before moving on to the short multiplication method.

The place value counters should be used to support the understanding of the method rather than supporting the multiplication, as children should use times table knowledge.


Skill: Multiply 3-digit numbers by 1-digit numbers

Year: 3/4



	H	T	O
	2	4	5
x			4
	9	8	0
	1	2	

$$245 \times 4 = 980$$




When moving to 3-digit by 1-digit multiplication, encourage children to move towards the short, formal written method.

Base 10 and place value counters continue to support the understanding of the written method. Limit the number of exchanges needed in the questions and move children away from resources when multiplying larger numbers.

Skill: Multiply 4-digit numbers by 1-digit numbers

Year: 5



$$1,826 \times 3 = 5,478$$

	Th	H	T	O
	1	8	2	6
x				3
	5	4	7	8
	2		1	

When multiplying 4-digit numbers, place value counters are the best manipulative to use to support children in their understanding of the formal written method. If children are multiplying larger numbers and struggling with their times tables, encourage the use of multiplication grids so children can focus on the use of the written method.

Skill: Multiply 2-digit numbers by 2-digit numbers

Year: 5

	10	10	1	1
10	100	100	10	10
10	100	100	10	10
10	100	100	10	10
1	10	10	1	1

×	20	2
30	600	60
1	20	2

	H	T	O
		2	2
×		3	1
		2	2
	6	6	0
	6	8	2

$22 \times 31 = 682$

When multiplying a multi-digit number by 2-digits, use the area model to help children understand the size of the numbers they are using. This links to finding the area of a rectangle by finding the space covered by the Base 10.

The grid method matches the area model as an initial written method before moving on to the formal written multiplication method.

Skill: Multiply 3-digit numbers by 2-digit numbers

Year: 5

	100	100	10	10	10	1	1	1	1
10	1000	1000	100	100	100	10	10	10	10
10	1000	1000	100	100	100	10	10	10	10
10	1000	1000	100	100	100	10	10	10	10
1	100	100	10	10	10	1	1	1	1
1	100	100	10	10	10	1	1	1	1

Th	H	T	O
	2	3	4
×		3	2
	4	6	8
17	10	2	0
7	4	8	8




$234 \times 32 = 7,488$



Children can continue to use the area model when multiplying 3-digits by 2-digits. Place value counters become more efficient to use but Base 10 can be used to highlight the size of numbers.




Encourage children to move towards the formal written method, seeing the links with the grid method.

Skill: Multiply 4-digit numbers by 2-digit numbers	Year: 5/6																																								
<table><tr><td>TTh</td><td>Th</td><td>H</td><td>T</td><td>O</td></tr><tr><td></td><td>2</td><td>7</td><td>3</td><td>9</td></tr><tr><td>×</td><td></td><td></td><td>2</td><td>8</td></tr><tr><td>2</td><td>1</td><td>9</td><td>1</td><td>2</td></tr><tr><td>2</td><td>5</td><td>3</td><td>7</td><td></td></tr><tr><td>5</td><td>4</td><td>7</td><td>8</td><td>0</td></tr><tr><td>1</td><td></td><td>1</td><td></td><td></td></tr><tr><td>7</td><td>6</td><td>6</td><td>9</td><td>2</td></tr></table> <p>1</p> <div>2,739 × 28 = 76,692</div>	TTh	Th	H	T	O		2	7	3	9	×			2	8	2	1	9	1	2	2	5	3	7		5	4	7	8	0	1		1			7	6	6	9	2	<p>When multiplying 4-digits by 2-digits, children should be confident in the written method.</p> <p>If they are still struggling with times tables, provide multiplication grids to support when they are focusing on the use of the method.</p> <p>Consider where exchanged digits are placed and make sure this is consistent.</p>
TTh	Th	H	T	O																																					
	2	7	3	9																																					
×			2	8																																					
2	1	9	1	2																																					
2	5	3	7																																						
5	4	7	8	0																																					
1		1																																							
7	6	6	9	2																																					

Division


Skill: Solve 1-step problems using multiplication (sharing)	Year: 1/2
<div style="display: flex; align-items: center; justify-content: space-around;">  <div style="text-align: center;"> 20 <div style="border: 1px solid black; padding: 5px; display: inline-block;"> <div style="border-bottom: 1px solid black; width: 100px; margin-bottom: 5px;"></div> <div style="display: flex; justify-content: space-around; width: 100px;"> ????? </div> </div> </div> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 10px; margin: 10px auto; width: fit-content; text-align: center;"> <p>There are 20 apples altogether. They are shared equally between 5 bags. How many apples are in each bag?</p> </div> <div style="display: flex; align-items: center; justify-content: space-around; margin-top: 20px;">  <div style="text-align: center;">  $20 \div 5 = 4$ </div> </div>	<p>Children solve problems by sharing amounts into equal groups.</p> <p>In Year 1, children use concrete and pictorial representations to solve problems. They are not expected to record division formally.</p> <p>In Year 2, children are introduced to the division symbol.</p>









Skill: Solve 1-step problems using division (grouping)	Year: 1/2
 <p>There are 20 apples altogether. They are put in bags of 5. How many bags are there?</p>  $20 \div 5 = 4$	<p>Children solve problems by grouping and counting the number of groups. Grouping encourages children to count in multiples and links to repeated subtraction on a number line. They can use concrete representations in fixed groups such as number shapes which helps to show the link between multiplication and division.</p>


Skill: Divide 2-digits by 1-digit (sharing with no exchange)	Year: 1/2
 <div style="display: flex; align-items: center; justify-content: center;">  <div style="border: 1px solid black; padding: 5px; margin: 0 20px;"> $48 \div 2 = 24$ </div>  </div>	<p>When dividing larger numbers, children can use manipulatives that allow them to partition into tens and ones.</p> <p>Sticks, Base 10 and place value counters can all be used to share numbers into equal groups.</p> <p>Part-whole models can provide children with a clear written method that matches the concrete representation.</p>

Skill: Divide 2-digits by 1-digit (sharing with exchange)


Year: 3/4



Tens	Ones
	
	
	
	







$$52 \div 4 = 13$$







Tens	Ones
	
	
	
	

When dividing numbers involving an exchange, children can use Base 10 and place value counters to exchange one ten for ten ones. Children should start with the equipment outside the place value grid before sharing the tens and ones equally between the rows.

Flexible partitioning in a part-whole model supports this method.

Skill: Divide 2-digits by 1-digit (sharing with remainders)	Year: 3/4
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <div style="text-align: center; margin: 10px 0;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> $53 \div 4 = 13 \text{ r}1$ </div> </div> <div style="text-align: center;">  </div>	<p>When dividing numbers with remainders, children can use Base 10 and place value counters to exchange one ten for ten ones.</p> <p>Starting with the equipment outside the place value grid will highlight remainders, as they will be left outside the grid once the equal groups have been made.</p> <p>Flexible partitioning in a part-whole model supports this method.</p>

Skill: Divide 2-digits by 1-digit (grouping)	Year: 4/5
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <div style="text-align: center; margin: 10px 0;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> $52 \div 4 = 13$ </div> </div> <div style="text-align: center;">  </div>	<p>When using the short division method, children use grouping. Starting with the largest place value, they group by the divisor.</p> <p>Language is important here. Children should consider 'How many groups of 4 tens can we make?' and 'How many groups of 4 ones can we make?'</p> <p>Remainders can also be seen as they are left ungrouped.</p>

Skill: Divide 3-digits by 1-digit (sharing)

Year: 4

$844 \div 4 = 211$

844

?	?	?	?
---	---	---	---

H	T	O
100 100	10	1
100 100	10	1
100 100	10	1
100 100	10	1

844

800

↓ ÷ 4

40

↓ ÷ 4

4

↓ ÷ 4

$844 \div 4 = 211$

856

800

↓ ÷ 4

200

40

↓ ÷ 4

10

16

↓ ÷ 4

4

100 100 100 100

10 10 10 10

1 1 1 1

100 100 100 100

10 10 10 10

1 1 1 1

100 100 100 100

10 10 10 10

1 1 1 1

Hundreds	Tens	Ones
100 100	10	1 1 1 1
100 100	10	1 1 1 1
100 100	10	1 1 1 1
100 100	10	1 1 1 1

Children can continue to use place value counters to share 3-digit numbers into equal groups. Children should start with the equipment outside the place value grid before sharing the hundreds, tens and ones equally between the rows. This method can also help to highlight remainders. Flexible partitioning in a part-whole model supports this method.

Skill: Divide 3-digits by 1-digit (grouping)

Year: 5

$856 \div 4 = 214$


Hundreds	Tens	Ones
100 100 100 100	10 10 10 10	1 1 1 1
100 100 100 100	10 10 10 10	1 1 1 1
100 100 100 100	10 10 10 10	1 1 1 1
100 100 100 100	10 10 10 10	1 1 1 1

		2	1	4
	4	8	5	16

Hundreds	Tens	Ones
100 100 100 100	10 10 10 10	1 1 1 1
100 100 100 100	10 10 10 10	1 1 1 1
100 100 100 100	10 10 10 10	1 1 1 1
100 100 100 100	10 10 10 10	1 1 1 1

Children can continue to use grouping to support their understanding of short division when dividing a 3-digit number by a 1-digit number.

Place value counters or plain counters can be used on a place value grid to support this understanding. Children can also draw their own counters and group them through a more pictorial method.

Skill: Divide 4-digits by 1-digit (grouping)	Year: 5
 <div> $8,532 \div 2 = 4,266$ </div>	<p>Place value counters or plain counters can be used on a place value grid to support children to divide 4-digits by 1-digit. Children can also draw their own counters and group them through a more pictorial method.</p> <p>Children should be encouraged to move away from the concrete and pictorial when dividing numbers with multiple exchanges.</p>

Skill: Divide multi digits by 2-digits (short division)	Year: 6																														
<table><tr><td></td><td></td><td>0</td><td>3</td><td>6</td></tr><tr><td></td><td>12</td><td>4</td><td>⁴3</td><td>⁷2</td></tr></table> <div>432 ÷ 12 = 36</div> <table><tr><td></td><td>0</td><td>4</td><td>8</td><td>9</td></tr><tr><td>15</td><td>7</td><td>⁷3</td><td>¹³3</td><td>¹³5</td></tr></table> <div>7,335 ÷ 15 = 489</div> <table><tr><td>15</td><td>30</td><td>45</td><td>60</td><td>75</td><td>90</td><td>105</td><td>120</td><td>135</td><td>150</td></tr></table>			0	3	6		12	4	⁴ 3	⁷ 2		0	4	8	9	15	7	⁷ 3	¹³ 3	¹³ 5	15	30	45	60	75	90	105	120	135	150	<p>When children begin to divide up to 4-digits by 2-digits, written methods become the most accurate as concrete and pictorial representations become less effective. Children can write out multiples to support their calculations with larger remainders. Children will also solve problems with remainders where the quotient can be rounded as appropriate.</p>
		0	3	6																											
	12	4	⁴ 3	⁷ 2																											
	0	4	8	9																											
15	7	⁷ 3	¹³ 3	¹³ 5																											
15	30	45	60	75	90	105	120	135	150																						

